



▶ Professional Household Scale Supplier

Digital Kitchen scale, bathroom scale, travel luggage scale, fishing scale, jewelry scale, baby scale, pets scale, talking scale and bluetooth scale, travel belt with lock etc.

▶ Over 12 years experience

to deal with all kinds of household scales

▶ Main market:

Europe, Americas, Australasia, Middle East, etc.

▶ All products are compliant with local market requirements.

CE, RoHS, FCC etc basic requirement is no any problem.

▶ Production capacity:

Over 200000 units monthly.

▶ OEM or ODM projects are welcome!



PAIBON DEVELOPMENT CO.,LTD
ZHONGSHAN PAIBON ELECTRONIC TECH. CO.,LTD
AINICIA GROUP CO., LTD

Address: No.37-1 Industrial Avenue, Banfu Town, Zhongshan City, Guangdong Province, China

Tel: 86-760- 8633 8260 Fax:86-760-8693 8170

E-mail: nick@paibon.com; sandy@paibon.com

Web: www.paibon.com www.ainicia-group.com



ISO9001 BSCI CE FC RoHS REACH



www.paibon.com

www.ainicia-group.com



LUGGAGE SCALE

LUGGAGE SCALE

TOUCH SCREEN

in patent



Model No.: **L S046**

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/100g
Unit: kg, lb
Extra large LCD: 75x18mm
Black background + white display
Tare function
Data lock, convenient to read
Auto zero-Auto off
Overload and low battery indication
Power by 2xCR2032 lithium batteries
Big hook with rubber protection

Product Size: 100x30x40mm
Gift box: 140x80x40mm
Carton size: 425x255x295mm
Qty/Ctn: 60pcs/ctn
N.W.: 7.2kg/ctn G.W.: 8.5kg/ctn
20'GP: 52500pcs 40'GP: 108720pcs
40'HQ: 127500pcs

LUGGAGE SCALE



1



PRESS AND HOLD BUTTON FOR 3 SEC TO POWER ON AND OFF THE TOUCH SCALE

2



TOUCH THE SCREEN BUTTON ON THE RIGHT TO SELECT DESIRED UNIT LB OR KG

3



HOOK LUGGAGE SECURELY AT A STEADY POINT, FOR EXAMPLE THE HANDLE

4



LIFT AND MEASURED WEIGHT WILL BE DISPLAYED WHEN YOU SEE "HOLD" ON BOTTOM LEFT OF THE SCREEN

LUGGAGE SCALE

Model No.: **L S052**

High precision strain gauge sensors system
Max capacity: 50kg/Division: 10g
Unit: g, oz, kg, lb
LCD size: 32x15mm
With Blue backlight
Tape measurement function over 80cm
Auto zero/auto off
Overload and low battery indication
Tare function
Data lock, convenient to read
Power: 1x3V Cr2032 lithium battery

Product size: 155x45x39mm
Color box: 190x70x50mm
Carton size: 370x270x400mm
Qty/Ctn: 50pcs/ctn
N.W.: 6.0kg/ctn G.W.: 7.5kg/ctn
20'GP: 35000pcs
40'GP: 85000pcs



NEW

NEW

Model No.: **L S053**

High precision strain gauge sensors system
Max capacity: 50kg/Division: 10g
Unit: g, oz, kg, lb
LCD size: 32x17mm
With Blue backlight
Tape measurement function over 80cm
Auto zero/auto off
Overload and low battery indication
Tare function
Data lock, convenient to read
Power: 1x3V CR2032 lithium battery

Product size: 130x30x32.5mm
Color box: 155x55x40mm
Carton size: 295x260x330mm
Qty/Ctn: 60pcs/ctn
N.W.: 6.9kg/ctn G.W.: 8.5kg/ctn
20'GP: 66000pcs
40'GP: 137400pcs

LUGGAGE SCALE

LUGGAGE SCALE



Stainless steel Cover
LS022R

Colorful Aluminium Cover
LS022C



Model No.: **LS022R/LS022C**

High precision strain gauge sensors system
Max capacity/Division: 50kg/10g
Unit: g, oz, kg, lb
Stainless steel front cover or colorful aluminium
Bigger LCD display size: 30x18mm
With blue backlit
Auto zero/auto off
Data lock, convenient to read
Overload and low battery indication
Tare function
Power: 1x3V CR2032 lithium battery

Product size: 147x30x46mm
Color box: 173x87x41mm
Carton size: 440x280x365mm
Qty/Ctn: 60pcs/ctn
N.W.: 6.5kg/ctn G.W.: 8.0kg/ctn
20'GP: 37800pcs
40'GP: 78300pcs

LUGGAGE SCALE

Model No.: **LS025**

High Precision Strain Gauge sensors system
Capacity/Division: 40kg/10g, 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 32x16mm
With blue backlight
Data lock function, convenient to read with beep
Tare function
Auto zero-Auto off
Overload and low battery indication
Power: 1x3V CR2032 lithium Battery

Product Size: 152x34x46mm
Color box: 173X87X41mm
Carton size: 435x280x365mm
Qty/Ctn: 60pcs/ctn
N.W.: 6.5kgs/ctn G.W.: 8.5kgs/ctn
20'GP: 38160pcs
40'GP: 79080pcs



POWER BANK WITH 5200mAh

NEW



Removeable Belt

Model No.: **LS 050**

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit: kg, lb
Large LCD: 28x21mm
With blue backlit
With 5200mAh power bank
Input: 5V-0.8A; Output: 5V-1A
Tare Function
Data lock, convenient to read
Auto Zero-Auto off
Overload and low battery indication



W/Torch



Product Size: 150x47x30mm
Color box : 178x90x43mm
Carton size: 465x230x380mm
Qty/Ctn: 50pcs/ctn
N.W.: 12.0kg/ctn G.W.: 13.5kg/ctn
20'GP: 34300pcs
40'GP: 71200pcs

LUGGAGE SCALE



POWER BANK WITH 2600mAh



Model No.: LS044

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 30x17mm
With blue backlight
With 2600mAh power bank
Input: 5V-0.8A; Output: 5V-1A
Tare Function
Data lock, convenient to read
Auto Zero-Auto off
Overload and low battery indication

Product Size: 142x32x38mm
Gift box: 176x89x36mm
Carton size: 395x375x285mm
Qty/Ctn: 60pcs/ctn
N.W.: 7.3kg/ctn G.W.: 12.0kg/ctn
20'GP: 39960pcs 40'GP: 82800pcs
40'HQ: 97140pcs

LUGGAGE SCALE



Model No.: LS035

High Precision Strain Gauge sensors system
Capacity/Division: 50kg/10g
Unit: g, oz, kg, lb
Large LCD: 30x17mm
With blue backlight
Flash light function
With 2600mAh power bank
Input: 5V-0.8A; Output: 5V-1A
Tare function
Data lock, convenient to read
Auto Zero-Auto off
Overload and low battery indication

POWER BANK WITH 2600mAh



Product Size: 153x35x55mm
Gift box: 184x93x40mm
Carton size: 425x290x385mm
Qty/Ctn: 60pcs/ctn
N.W.: 7.8kg/ctn G.W.: 13.0kg/ctn
20'GP: 35700pcs 40'GP: 74040pcs
40'HQ: 86760pcs

LUGGAGE SCALE

NEW

Model No.: **LS051**

High precision strain gauge sensors system
 Max capacity: 50kg/Division: 10g
 Unit: g, oz, kg, lb
 LCD size: 32x17mm
 With Blue backlight
Tape measurement function over 80cm
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock, convenient to read
 Power: 1x3V CR2032 lithium battery

Product size: 129x34x31mm
 Color box: 155x60x40mm
 Carton size: 320x260x330mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.9kg/ctn G.W.: 8.5kg/ctn
 20'GP: 60900pcs
 40'GP: 126600pcs



Stainless Steel Cover on the Top

Model No.: **LS045**

High precision strain gauge sensors system
Max capacity: 50kg/Division: 10g
 Unit: g, oz, kg, lb
 LCD size: 32x15mm
 With white backlight
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock, convenient to read
 Power: 1x3V CR2032 lithium battery

Product size: 150x68x32mm
 Color box: 185x92x40mm
 Carton size: 425x290x385mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 11.5kgs/ctn G.W.: 13.0kgs/ctn
 20'GP: 35700pcs
 40'GP: 74040pcs



LUGGAGE SCALE

Model No.: **LS012**

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/0.1kg
 Unit: kg, lb
 Large LCD: 24x20mm
 Tare function
 Data lock, convenient to read
 Auto Zero-Auto off
 Overload and low battery indication
 Power: 1x3V CR2032 lithium battery



Product Size: 100x40x35mm
 Gift box: 102x50x50mm
 Carton Size: 523X270X230mm
 Qty/Ctn: 100pcs/ctn
 N.W.: 6.5kg/ctn G.W.: 7.5kg/ctn
 20'GP: 87500pcs
 40'GP: 181200pcs



Mini Luggage Scale

Model No.: **LS036**

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/0.1kg
 Unit: kg, lb
 Large LCD: 24x20mm
 Tare function
 Data lock, convenient to read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 1x3V CR2032 lithium battery

Product Size: 100x38x26mm
 Paper card: 119x109mm
 Clamshell: 120x110x46mm
 Inner box: 250x250x120mm/20pcs
 Carton size: 520x260x265mm
 Qty/Ctn: 80pcs/ctn
 N.W.: 4.5kg/ctn G.W.: 7.5kg/ctn
 20'GP: 65000pcs 40'GP: 134000pcs



LUGGAGE SCALE



Model No.: LS048

High precision strain gauge sensors system
 Max capacity/Division: 50kg/10g
 Unit: kg, lb
 LCD size: 34x13mm
 With blue backlight
Tape measure function with 80cm
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock with hold function,
 convenient to read
 Power: 1xCR2032 lithium battery



Product size: 148x35x36mm
 Color box: 163x67x40mm
 Carton size: 425x220x345mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.0kgs/ctn G.W.: 7.0kgs/ctn
 20'GP: 52500pcs
 40'GP: 101280pcs

LUGGAGE SCALE



NEW

Model No.: LS 049

High Precision Strain Gauge sensors system
 Capacity/Division: 50kg/100g
 Unit: kg,lb
 LCD display size: 31x15mm
 With backlit
 UV Coating for front cover
 Tare function
 Data lock, convenient to Read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 1x3V CR2032 lithium battery



Product Size: 137x36x30mm
 Color Box : 143x53x48mm
 Carton Size: 505x320x270mm
 Qty/Ctn: 80pcs/ctn
 N.W.: 10.5kg/ctn G.W.: 12.5kg/ctn
 1x20'GP: 50880pcs
 1x40'GP: 98160pcs

LUGGAGE SCALE

Model No.: LS047

High precision strain gauge sensors system
 Max capacity/Division: 50kg/10g
 Unit: kg,lb
 LCD size: 30x18mm
 Red LCD display
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock with hold indication,
 convenient to read
 Power: 1xCR2032 lithium battery



Product size: 150x35x30mm
 Color box: 163x67x40mm
 Carton size: 425x220x345mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.0kgs/ctn G.W.: 7.0kgs/ctn
 20'GP: 52500pcs
 40'GP: 101280pcs

Model No.: LS030

High precision strain gauge sensors system
 Max capacity/Division: 40kg/10g
 Unit: g,kg,lb,oz
 LCD size: 32x18mm
With green backlit
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Power by 1x3V CR2032 lithium battery

Product size: 126x30x32mm
 Color box: 158x35x40mm
 Carton size: 425x200x355mm
 Qty/Ctn: 100pcs/ctn
 N.W.: 7.3kgs/ctn G.W.: 9.2kgs/ctn
 20'GP: 90300pcs
 40'GP: 174100pcs



LUGGAGE SCALE

LUGGAGE SCALE

Model No.: LS009

High precision strain gauge sensors system
 Max capacity/Division: 40kg/10g
 Unit: g, oz, kg, lb
 LCD display size: 29x15mm
 Include blue backlight
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Power: 2x1.5V AAA batteries



Product size: 140x28x38mm
 Color box: 160x80x40mm
 Carton size: 425x255x335mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 5.3kgs/ctn G.W.: 7.7kgs/ctn
 20'GP: 46620pcs
 40'GP: 96660pcs

LUGGAGE SCALE

Model No.: LS008

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/10g, 50kg/10g
 Unit: g, oz, kg, lb
 Large LCD: 40x15mm With Blue Backlight
 Tare function
 Data lock with sound indication, convenient to read
Tape measure function with 80cm
LED flashlight/torch function, switch control
 Auto zero-Auto off
 Overload and low battery indication
 Power: 4x1.5V AAA Battery




Product Size: 180x47x40mm
 Color Box : 210x56x98mm
 Carton Size: 435X295X410mm
 Qty/Ctn: 40pcs/ctn
 N.W.: 8.0kg/ctn G.W.: 10.2kg/ctn
 20'GP: 20000pcs
 40'GP: 41400pcs



Model No.: LS026

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/10g, 50kg/10g
 Unit: oz, kg, lb
 Large LCD: 33x20mm
With blue backlight
With temperature function
Tape measure function with 100cm
 Tare function
 Data lock function, Convenient to Read
 Auto Zero-Auto off
 Overload and low battery indication
 Power: 2x1.5V AAA Batteries

Tem-
 perature



Product Size: 137x36x30mm
 Color Box : 143x53x48mm
 Carton Size: 505x320x270mm
 Qty/Ctn: 80pcs/ctn
 N.W.: 10.5kg/ctn G.W.: 12.5kg/ctn
 1x20'GP: 50880pcs
 1x40'GP: 98160pcs



Model No.: LS034

High Precision Strain Gauge sensors system
 Capacity/Division: 50kg/10g
 Unit: g, oz, kg, lb
 Large LCD: 30x17mm
 With blue backlight
Flashlight/Torch function
 Tare function
 Data lock, convenient to read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 2x1.5V AAA batteries

Product Size: 150x30x40mm
 Gift box : 170x82x40mm
 Carton size: 425x260x355mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.8kg/ctn G.W.: 9.2kg/ctn
 20'GP: 43020pcs
 40'GP: 89220pcs

LUGGAGE SCALE

Model No.: LS007

High precision strain gauge sensors system
 Max capacity: 50kg/Division: 50g
 Unit: kg, lb
 LCD size: 35x13mm
 With **GREEN** backlight(Optional)
 With **Temperature** function
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock, convenient to read
 Power: 1x3V CR2032 lithium battery



Product size: 130x30x45mm
 Color box: 150x103x38mm
 Carton size: 535x420x325mm
 Qty/Ctn: 100pcs/ctn
 N.W.: 8.5kg/ctn G.W.: 13.5kg/ctn
 20'GP: 38000pcs
 40'GP: 80000pcs

Model No.: LS005

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/10g, 50kg/10g
 Unit: g,oz,kg,lb
 Large LCD: 40x15mm With Blue Backlight
 Tare function
 Data lock with sound indication,
 Convenient to read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 2x1.5V AAA Battery



Product Size: 122x85x25mm
 Color Box : 141x141x35mm
 Carton Size: 367X297X297mm
 Qty/Ctn: 40pcs/ctn
 N.W.: 5.6kg/ctn G.W.: 8.0kg/ctn
 20'GP: 34400pcs
 40'GP: 71600pcs

Model No.: LS037

High Precision Strain Gauge sensors system
 Capacity/Division: 50kg/10g
 Unit: kg, lb, oz
 Large LCD: 24x20mm with backlight
Push-Pull way handle
 Tare function
 Data lock, convenient to read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 2x1.5V AAA batteries

Product Size: 100x38x26mm
 Gift box size :145x77x35mm
 Carton size: 495x275x255mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 9.0kg/ctn G.W.: 12.0kg/ctn
 20'GP: 60000pcs
 40'GP: 128000pcs



Model No.: LS013

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/10g, 50kg/10g
 Unit: g, oz, kg, lb
 Large LCD: 43x23mm
 Include blue Backlight
 Tare function
 Data lock function with beep
 Convenient to Read
 Auto zero-Auto off
 Overload and low battery indication
 Power: 2x1.5V AAA Battery

Product Size: 140x31.5x185mm
 Clamshell size: 226X170X34mm
 Carton Size: 475X415X370mm
 Qty/Ctn: 48pcs/ctn
 N.W.: 10.0kg/ctn G.W.: 11.5kg/ctn
 20'GP: 18384pcs
 40'GP: 38112pcs

LUGGAGE SCALE

Model No.: LS021

High precision strain gauge sensors system
 Max capacity/Division: 40kg/0.1kg, 50kg/0.1kg
 Unit: kg, lb
 LCD size: 30x13mm
 With blue backlight
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Power: 1x3V CR2032 lithium battery



Product size: 113x55x50mm
 Color box: 120X60X60mm
 Carton size: 315x315x255mm
 Qty/Ctn: 50pcs/ctn
 N.W.: 5.0kgs/ctn G.W.: 7.0kgs/ctn
 20'GP: 55000pcs
 40'GP: 114500pcs

LUGGAGE SCALE

Model No.: LS022

High precision strain gauge sensors system
 Max capacity: 50kg/Division: 10g
 Unit: kg, lb, g, oz
 LCD size: 30x13mm
 Optional: With GREEN backlight
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock, convenient to read
 Power: 1x3V CR2032 lithium battery



Product size: 150x30x35mm
 Color box: 175X90X43mm
 Carton size: 455x285x365mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.5kgs/ctn G.W.: 8.5kgs/ctn
 20'GP: 35700pcs
 40'GP: 74040pcs

LUGGAGE SCALE

LUGGAGE SCALE



Model No.: LS017

High Precision Strain Gauge sensors system
 Capacity/Division: 40kg/10g, 50kg/10g
 Unit: g, oz, kg, lb
 Large LCD: 43x23mm With Blue Backlight
 Tare function
 Data lock with sound indication,
 Convenient to read
 Tape measure function with 100cm
 Auto zero-Auto off
 Overload and low battery indication
 Power: 2x3V CR2032 Lithium Battery

Product Size: 183x92x33mm
 Color Box : 220x120x36mm
 Carton Size: 375X375X460mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 12.0kg/ctn G.W.: 14.6kg/ctn
 20'GP: 24000pcs
 40'GP: 51900pcs



Model No.: LS002

High precision strain gauge sensors system
 Max capacity/Division: 40kg/10g
 Unit: g, oz, kg, lb
 LCD size: 38x15mm
 With blue backlight
 Auto zero/auto off
 Overload and low battery indication
 Tare function
 Data lock with sound indication,
 Convenient to read
 Power: 2x1.5V AAA batteries

Product size: 130x34x32mm
 Color box: 160X80X40mm
 Carton size: 425x255x335mm
 Qty/Ctn: 60pcs/ctn
 N.W.: 6.2kgs/ctn G.W.: 10.2kgs/ctn
 20'GP: 46620pcs
 40'GP: 96660pcs

WATERPROOF FISHING SCALE

WATERPROOF FISHING SCALE



Temperature

Model No.: **LS027**

High precision strain gauge sensors system
Capacity/Division: 25kg/10g, 50kg/10g
TPR Handle, Rubber Finishing, WATERPROOF
With 80cm Tape and Thermometer function
Unit: kg, lb, oz, Temperature: °C, °F
LCD size: 38x18mm
With blue backlight
Auto zero/auto off
Overload and low battery indication
Tare function
Data lock function with beep, convenient to Read
Power: 2x1.5V AAA batteries

Product size: 155x90x30mm
Clamshell: 250x120x38mm
Paper card: 249x119mm
Inner box: 330x130x260mm(10pcs)
Carton size: 525x345x280mm
Qty/Ctn: 40pcs/ctn
N.W.: 9.0kgs/ctn G.W.: 10.5kgs/ctn
20'GP: 50880pcs
40'GP: 98160pcs

LUGGAGE SCALE

Model No.: **LS038**

Portable Voice Luggage Scale
High precision strain gauge sensors system
Product size: 120x85x25mm
Capacity/Division: 40kg/100g
Unit: kg, lb, oz
Large LCD size: 42x28mm With backlight
Auto Zero-Auto off
Overload and low battery indication
With Voice, talking function in English
Power: 3x1.5V AAA Batteries

Color box size : 107x30x177mm
Carton size: 320x235x370mm
Qty/Ctn: 40pcs/ctn
N.W.: 5.4kgs/ctn G.W.: 7.8kgs/ctn
20'GP: 40000pcs
40'GP: 83000pcs



VOICE



Model No.: **LS028**

High precision strain gauge sensors system
Max capacity/Division: 30kg/0.1kg
Unit: kg, lb
LCD size: 20x10mm
Auto zero/auto off
Overload and low battery indication
Tare function
Data lock, convenient to read
Power: 1xCR2032 lithium battery
Belt: 5x180cm

Product size: 130x63x18mm
Color box: 180x158x42mm
Carton size: 440x340x290mm
Qty/Ctn: 100pcs/ctn
N.W.: 14.8kgs/ctn G.W.: 16.8kgs/ctn
20'GP: 65100pcs
40'GP: 122700pcs

Travel belt with Luggage Scale

MOUNTED LUGGAGE SCALE

Handle Scale Mounted on Suitcase



Model No.: **LS018**

**NEVER PAY OVERWEIGHT FEES AGAIN!
EASY TO USE!
EASY TO FIX AND BRING!**

High precision sensors
Max.capacity: 40kg
Division: 0.1kg
Unit: kg,lb
LCD display size: 27x13mm with backlight
Tare function
Power: 2x1.5V AAA battery



Product size: 150x80x25mm
Brown box size: 155x85x38mm
Qty/ctn: 60sets
N.W.: 7.2kgs/ctn; G.W.: 9.5kgs/ctn
Carton size: 39.5x27.0x32.5cm

POCKET SCALE

Model No.: **PJS08**

High precision strain gauge sensors system
Stainless steel platform: 100x100mm
Capacity: 500g/0.01g, 200g/0.01g, 100g/0.01g
Unit: g, oz, ct, gn, ozt, dwt
Large LCD: 45x15mm
Include Blue backlight
Double ABS cover
Auto zero/auto off function
Over load and Low battery indication
Power: 2x1.5V AAA battery
Strong cover to protect the load cell, platform

Product size: 125x105x15mm
Gift box size: 160x130x32mm
Carton size: 345x275x340mm
Qty/Ctn: 40pcs/ctn
N.W.: 12.0kgs/ctn G.W.: 13.5kgs/ctn
20'GP: 35000PCS



Model No.: **PJS09**

High precision strain gauge sensors system
Stainless steel platform: ϕ 50mm
Capacity: 50g/0.001g, 20g/0.001g, 100g/0.001g
Unit: g, oz, dwt, ct, gn, tl
White Large display: 35x24mm
Counting function
Including calibrating weight
Auto zero/auto off function
Over load and Low battery indication
Power: 2x1.5V AAA battery
Strong **CLEAR** cover to protect the load cell, platform

Product size: 113x65x30mm
Gift box size: 180x98x43mm
Carton size: 355x310x375mm
Qty/Ctn: 60pcs/ctn
N.W.: 12.0kgs/ctn G.W.: 13.5kgs/ctn
20'GP: 40920PCS

POCKET SCALE

Model No.: **PJS01**

High precision strain gauge sensors system
Stainless steel platform: 58x68mm
Capacity: 600g/0.1g, 200g/0.01g, 100g/0.01g
Unit: g, oz, ct, gn
 LCD Size: 31x12mm with blue Backlight
 Auto zero/auto off function
 Over load and Low battery indication
 Power: 2x1.5V AAA battery
Counting function
 Strong cover to protect the load cell, platform

Product size: 68x112x18mm
 Gift box size: 70x125x23mm
 Carton size: 360x250x140mm
 Qty/Ctn: 50pcs/ctn
 N.W.: 6.0kgs/ctn G.W.: 7.5kgs/ctn
 Loading: 1x20'GP: 110000PCS



POCKET SCALE

Model No.: **PJS06**

High precision strain gauge sensors system
 Plastic platform: 61x65mm
Capacity: 500g/0.1g, 200g/0.01g, 100g/0.01g
Unit: g, oz, ct, gn
Large LCD: 32x12mm With Blue backlight
 Auto zero/auto off function
 Over load and Low battery indication
 Power: 2x1.5V AAA battery
 Strong cover to protect the load cell, platform

Product size: 102x70x25mm
 Gift box size: 105x72x28mm
 Carton size: 375x300x225mm
 Qty/Ctn: 100pcs/ctn
 N.W.: 9.1kgs/ctn G.W.: 11.0kgs/ctn
 Loading: 1x20'GP: 110600PCS



Model No.: **PJS03**

High precision strain gauge sensors system
Stainless steel platform: 75x65mm
Capacity: 600g/0.1g, 200g/0.01g, 100g/0.01g
Unit: g, oz, ct, gn
 Auto zero/auto off function
 Over load and Low battery indication
 Power: 2x1.5V AAA battery
Counting function
 Strong cover to protect the load cell, platform
 Easy calibration, with CAL button

Product size: 128x75x18mm
 Gift box size: 143x82x21mm
 Carton size: 440x240x160mm
 Qty/Ctn: 50pcs/ctn
 N.W.: 6.2kgs/ctn G.W.: 7.8kgs/ctn
 Loading: 1x20'GP: 82500PCS



Model No.: **PJS07**

High precision strain gauge sensors system
Stainless steel platform: 50x55mm
Capacity: 500g/0.1g, 200g/0.01g, 100g/0.01g
Unit: g, oz, ct, gn
Large LCD: 38x16mm With Blue backlight
Silicon Buttons
Counting function
 Auto zero/auto off function
 Over load and Low battery indication
 Power: 2x1.5V AAA battery
 Strong **CLEAR** cover to protect the load cell, platform

Product size: 120x65x20mm
 Gift box size: 134x69x22mm
 Carton size: 435x245x300mm
 Qty/Ctn: 100pcs/ctn
 N.W.: 11.0kgs/ctn G.W.: 13.0kgs/ctn
 Loading: 1x20'GP: 127000PCS

